TAB C

FORECAST REQUIREMENTS FOR OVERSEAS OPERATIONS

- 1. Forecasts will be required simultaneously for the USSR by three or four units of this project. Elements of these units will be located in Washington, up to 4 bases in Europe and the Near East, and two bases in the Far East.
 - 2. Forecasts will be required by units as follows:
 - a. Headquarters Division
 - (1) Five day forecasts for all USSR.
 - (2) Three day forecasts for all USSR.
 - (3) 24 hour forecasts for all USSR.
 - (4) Terminal forecasts.
 - b. Each Detachment and Flight Planning Unit
 - (1) Five day forecasts for its area of USSR.
 - (2) Three day forecasts for its area of USSR.
 - (3) 24 hour forecasts for its area of USSR.
 - (4) Take-off minus 6 hours for planned flights.
 - (5) Final check forecast for flights.
 - (6) Terminal forecasts.
 - (7) Forecasts for transport aircraft upon request.
 - 3. Elements of various forecasts follow:
 - a. Five day forecasts
 - (1) At the professional discretion of the forecaster, he will issue five day forecasts for expected suitable areas of the USSR using the following definitions:
 - (a) Much above normal: Those conditions for which the probability of suitable areas occurring within a quadrant exceeds three times the normal expectancy.

TS 142611 (Tab C) Copy / of 5.

Approved For Release 2000/08/24: CIA-RDP33-02415A000300340004-6

TAB C Page 2

- (b) Above normal: Those conditions between normal and much above normal.
- (c) Normal: Climatological expectancy of suitable conditions for the five-day period.
- (d) Below normal: Those conditions between normal and much below normal.
- (e) Much below normal: Those conditions in which the probability of suitable areas occurring within a quadrant is less than 1/3 the normal.

b. Three day forecasts:

- (1) Will be issued to each element of the project by 0730L each day.
- (2) Will delineate those areas which are expected to be suitable during daylight hours for the following three days.

c. 24 hour forecasts

- (1) Will be issued to each using agency by 1600L each day.
- (2) Will contain cloud cover for the daylight hours of the following day for the USSR.
- (3) Will contain visibility forecast for daylight hours of the following day for the USSR as specified.
- (4) Will contain wind forecasts for routes and targets as specified.
- (5) Will contain forecasts for terminal conditions for all bases whose uses are contemplated.

d. Forecast for take-off minus 6 hours:

- (1) Complete forecasts for bases, routes and targets for each planned flight.
- (2) Will be issued so as to be available to using agencies 6 hours before take-off of aircraft.

TS 142611 (Tab C) Copy , of 5.

Approved For Release 2000 00021 PCIAIR DP33-02415A000300340004-6

Page 3

- Final check forecast:
 - (1) Will be issued to using agencies 3 hours before take-off of aircraft.
 - (2) Will contain changes to previous forecasts for bases, routes and targets.
- f. Route forecasts for transport aircraft:
 - (1) Forecast of standard meteorological phenomena for specific routes upon request.